

Edit Disk

API Essentials

API Key Generation

Autoscaling

- Add Autoscaling Rules
- Get List of Autoscaling Rules for VS
- Remove Autoscaling Rules

Backups

- Add/Edit Note
- Convert Backup to Template
- Create Backup
- Delete Backup
- Get List of All VS Backups
- Get List of Incremental Backups
- Get List of Normal Backups
- Restore Disk from Backup

Credit

- Get Credit

DNS

- Add DNS Record
- Add DNS Zone
- Delete DNS Record
- Delete DNS Zone
- Edit DNS Record
- Get DNS Zones
- Get List of DNS Zone Records
- Get List of Name Servers

Firewall Rules

- Add Firewall Rule
- Get Firewall Rules
- Update Firewall Rules

Flex Cloud VM Control

Getting Started with Superb Flex Cloud

IP Addresses

- Get IP Address Joins

Logs

- Get List of Log Items
- Get List of Transactions
- Get list of VS Transaction

Network Interfaces

PUT settings/disks/:id

Edits specified disk

Sections:

- Response
- JSON Request example
- XML Request example

Request Parameters

label - disk label

disk_size - the disk space in GB

require_format_disk - set 1 to format disk, otherwise set 0

add_to_linux_fstab - set 1 to add the disk to your Linux fstab file, otherwise set 0

add_to_freebsd_fstab - set 1 to add the disk to your FreeBSD fstab file, otherwise set 0

mount_point - a physical location in the partition used as a root file system

file_system - for Linux templates, you can choose ext4 file system instead of the ext3 default one

Response

Returns HTTP 204 response on successful deletion, or HTTP 404 when a disk with the ID specified is not found, or the URL requested is incorrect.

JSON Request example

```
curl -i -X PUT
<api_url>/settings/disks/:id.json -d
'{"disk":{"label":"for BU", "disk_size":"1",
"require_format_disk":"1",
"add_to_linux_fstab":"1",
"add_to_freebsd_fstab":"0",
"mount_point":"/mnt/disk1",
"file_system":"ext4"}}' -u user:userpass -H
'Accept: application/json' -H 'Content-type:
application/json'
```

XML Request example

- Get VS Network Interfaces
- Rebuild VS Network

Recipes

- Add Recipe
- Add Recipe Step
- Assign Recipe to Virtual Server
- Delete Recipe
- Delete Recipe Step
- Edit Recipe
- Edit Recipe Step
- Get All Recipes
- Get Recipe Steps
- Get Virtual Server Recipes
- Remove recipe from Virtual Server
- Run Recipe on Multiple Virtual Servers
- Swap Recipe Step Number

```
curl -i -X PUT
<api_url>/settings/disks/:id.xml -d
'<disk><label>for
BU</label><disk_size>1</disk_size><require_form
at_disk>1</require_format_disk><add_to_linux_fs
tab>1</add_to_linux_fstab><add_to_freebsd_fstab
>0</add_to_freebsd_fstab><mount_point>/mnt/disk
1</mount_point><file_system>ext4</file_system><
/disk>' -u user:userpass -H 'Accept:
application/xml' -H 'Content-type:
application/xml'
```

SSH Keys

- Add SSH Key
- Delete SSH Key
- Edit SSH Key
- Get SSH Keys
- Set SSH Keys on VS

Templates

- Get Templates

Test Route

Troubleshooting API Issues

Viewing Activity Logs

Virtual Server Operating Systems

Virtual Servers

- Add Virtual Server
- Billing Statistics
- Build Virtual Server
- Delete Virtual Server
- Edit Virtual Server
- Get CPU Usage Statistics
- Get List of Virtual Machines
 - Get specific VM Details
 - Search Virtual Servers by label
- Get statuses for All VMs
 - Get Specific VS Status
- Reboot Virtual Server
- Reset VS Password
- Shutdown Virtual Server
- Startup a Virtual Server
- Stop Virtual Server

VS Disks

- Add New Disk
- Delete Disk
- Edit Disk
- Get VS Disks