

Get List of Log Items

API Essentials

API Key Generation

Autoscaling

- Add Autoscaling Rules
- Get List of Autoscaling Rules for VS
- Remove Autoscaling Rules

Backups

- Add/Edit Note
- Convert Backup to Template
- Create Backup
- Delete Backup
- Get List of All VS Backups
- Get List of Incremental Backups
- Get List of Normal Backups
- Restore Disk from Backup

Credit

- Get Credit

DNS

- Add DNS Record
- Add DNS Zone
- Delete DNS Record
- Delete DNS Zone
- Edit DNS Record
- Get DNS Zones
- Get List of DNS Zone Records
- Get List of Name Servers

Firewall Rules

- Add Firewall Rule
- Get Firewall Rules
- Update Firewall Rules

Flex Cloud VM Control

Getting Started with Superb Flex Cloud

IP Addresses

- Get IP Address Joins

Logs

- Get List of Log Items
- Get List of Transactions
- Get list of VS Transaction

Network Interfaces

GET /logs

Returns a list of all log items

Sections:

- Response Parameters
- JSON Request example
- JSON Response
- XML Request example
- XML Response example

Response Parameters

created_at – time in the [YYYY][MM][DD]T[hh][mm][ss]Z format

updated_at – time in the [YYYY][MM][DD]T[hh][mm][ss]Z format

id – log item ID

target_id – ID of the transaction (item in the transaction list. See [Get List of Transactions](#) for details)

target_type – type of log item (either Transaction or Alert).

action - the action name

status - the action status (Complete, Warn, Pending, or Failed)

JSON Request example

```
GET /logs.json
```

JSON Response

- Get VS Network Interfaces
- Rebuild VS Network

Recipes

- Add Recipe
- Add Recipe Step
- Assign Recipe to Virtual Server
- Delete Recipe
- Delete Recipe Step
- Edit Recipe
- Edit Recipe Step
- Get All Recipes
- Get Recipe Steps
- Get Virtual Server Recipes
- Remove recipe from Virtual Server
- Run Recipe on Multiple Virtual Servers
- Swap Recipe Step Number

SSH Keys

- Add SSH Key
- Delete SSH Key
- Edit SSH Key
- Get SSH Keys
- Set SSH Keys on VS

Templates

- Get Templates

Test Route

Troubleshooting API

Issues

Viewing Activity Logs

Virtual Server Operating Systems

Virtual Servers

- Add Virtual Server
- Billing Statistics
- Build Virtual Server
- Delete Virtual Server
- Edit Virtual Server
- Get CPU Usage Statistics
- Get List of Virtual Machines
 - Get specific VM Details
 - Search Virtual Servers by label
- Get statuses for All VMs
 - Get Specific VS Status
- Reboot Virtual Server
- Reset VS Password
- Shutdown Virtual Server
- Startup a Virtual Server
- Stop Virtual Server

```
[
  {
    "log_item": {
      "action": "StartupVirtualServer",
      "created_at":
"2015-08-27T22:16:52+00:00",
      "id": 27857,
      "status": "Complete",
      "target_id": 27492,
      "target_type": "Transaction",
      "updated_at":
"2015-08-27T22:16:52+00:00"
    }
  },
  {
    "log_item": {
      "action":
"ConfigureOperatingSystem",
      "created_at":
"2015-08-27T22:16:52+00:00",
      "id": 27856,
      "status": "Complete",
      "target_id": 27491,
      "target_type": "Transaction",
      "updated_at":
"2015-08-27T22:16:52+00:00"
    }
  },
  {
    "log_item": {
      "action": "BuildDisk",
      "created_at":
"2015-08-27T22:16:52+00:00",
      "id": 27854,
      "status": "Complete",
      "target_id": 27489,
      "target_type": "Transaction",
      "updated_at":
"2015-08-27T22:16:52+00:00"
    }
  }
]
```

XML Request example

```
GET /logs.xml
```

VS Disks

- Add New Disk
- Delete Disk
- Edit Disk
- Get VS Disks

XML Response example

```
<?xml version="1.0" encoding="UTF-8"?>
<log_items type="array">
<log_item>
<created_at
type="datetime">2011-07-25T15:26:44+07:00</crea
ted_at>
<target_id type="integer">22386</target_id>
<updated_at
type="datetime">2011-07-25T15:26:44+07:00</upda
ted_at>
<id type="integer">22903</id>
<target_type>Transaction</target_type>
<status>Complete</status>
<action>RebootVirtualMachine</action>
</log_item>
...
<log_item></log_item>
...
</log_items>
```